


Technical drawing of a 90° V-block. The drawing shows a cross-section of the block with a 90° angle at the top. The width of the block at the top is dimensioned as 1,05..1,08xD. The width of the block at the base is dimensioned as D. The drawing is labeled with '90°' at the top and 'D' at the bottom.

General Tolerance DIN ISO 2786-1 m (in mm)								
tolerance- class	0,5 till 3	over 3 till 6	over 6 till 30	over 30 till 120	over 120 till 400	over 400 till 1000	over 1000 till 2000	over 2000 till 4000
m (middle)	± 0,1	± 0,1	± 0,2	± 0,3	± 0,5	± 0,8	± 1,2	± 2

(application)				(tolerances) DIN ISO 2768 mittel		(surface) DIN ISO 1302		scale CAD		(weight)	
CONFIDENTIAL: Intellectual property of MOTORTECH GmbH, D-29223 Celle copyright according to DIN 34 all rights reserved for this drawing					date	name		Connector Ø8/Click			
				edited	10.06.2009	Ermschel					
				appro.	14.07.2010	Ermschel					
	ECN #							page			
1.1	ECN # 6482/09	14.07.2010	SBR					06.80.1006		1/1	
1.0	ECN # 6482/09	10.06.2009	SBR							pages	
rev.	change	date	name	origin				repl. for:		repl. by:	

Prüfblatt / Measuring Sheet

☒ Wareneingang / Goods Receipt

☐ Lagerposition / Stock Position

☒ Fertigung / Fabrication

☐ Sonstiges / Miscellaneous

Artikelnr.
Part No. 06.80.1006

Zeichnungsnr.
Drawing No. 06.80.1006

ECN 1.1

Belegnr.
Receipt No. 10062009

Art.-Bezeichnung
Part Description Anschlußterminal
Ø8/Click

Erstellungsdatum
Creation Date 10.06.2009

Änderungsdatum
Revision Date 14.07.2010

Geändert von
Changed By SBR

Anzahl geprüft
Parts checked

Anzahl i.O
Parts o.k.

Bemerkungen
Comments

lfd. Prüfmerkmal
No. Inspection Criterion

Sollwert
Specified Value

Stichprobe
Sample

		min	max	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Außendurchmesser Ø9±0,1 (B6)	8,9	9,1															
2	Außendurchmesser Ø8 -0,1 / -0,02 (B6)	7,9	7,98															
3	Radius (C5) max. R0,1 eingehalten	-	-															
4	Nutbreite 1,1 ± 0,05 (B4)	1,05	1,15															
5	Nutdurchmesser Ø5,1 -0 / +0,05 (C4)	5,1	5,15															
6	Außendurchmesser Ø3,98 +0,0 / -0,05 (B3)	3,93	3,98															
7	Außendurchmesser Ø6,8 -0,1 / +0 (B2)	6,7	6,8															
8	Nutbreite 0,9 +0,0 / - 0,05 (C1)	0,85	0,9															
9	Länge 3,9 +0,0 / -0,1 (D5)	3,8	3,9															
10	Sichtprüfung: Teil sauber und gratfrei?	-	-															

Engineering Change Notice



ECN-Nummer: 6482/2009

06.80.1006

Anschlußterminal Ø8/M3

10.06.2009

Revisions-Nr.	Datum	veranlasst	Durchführung	Prüfung
---------------	-------	------------	--------------	---------

1.0	10.06.2009	TE	SBR	TE
-----	------------	----	-----	----

1.Zeichnung

1.1	14.07.2010	TE	SBR	TE
-----	------------	----	-----	----

Bemaßung für Ø5,1 (C4) wegen Eindeutigkeit nach links verschoben